

Leaflet Details

**CIR-370661/2026-Transfluthrin (474)-5
Transfluthrin 0.75% Mosquito Agarbatti
(Household Insecticide)**

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water	Waiting Period between last spray to harvest	Re-entry after each Application (In Hours)
		AI	Formulation			
-	-	-	-	-	-	-

Direction Of Use

Ignite the coated tip of the agarbatti and blow off the flame and put the smouldering incense stick on stand in room for proper spreading of smoke. keep windows and doors opened for proper ventilation.

Time of Application

Precautions

Keep away from the children, pets; aquaria and food products, avoid excessive inhalation of smoke Avoid using on people, animals, birds, aquaria and food products. Keep ignited stick away from flammable materials

Symptoms Of Poisoning

Nervousness, anxiety, tremor, convulsions, sneezing, skin allergies, running nose and irritation may occur.

First Aid

If ingested If ingested, seek medical advice immediately. 2. If inhaled If inhaled, move the patient to outdoor for fresh air.3.In case of skin contact In case of skin contamination wash with plenty of soap and water. 4. In case of eye contact If eyes are affected, flush with plenty of water.

Phytotoxicity

-

Antidote

No specific antidote is known, treat symptomatically. antihistamines may be given to control allergies.

Disposal Of Used Container

1) It shall be the duty of the manufacturers, formulators of insecticide and operators to dispose packages or surplus material and washings in a safe manner so as to prevent environmental or water pollution. 2) The used packages shall not be left outside to prevent their re-use. 3) The packages shall be broken and buried away from habitation.

Storage Conditions

1) The package containing the insecticides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almirahs under lock and keys depending upon the quantity and nature of the insecticide. 2) The rooms or premises means for storing insecticide shall be

well built, dry, well-lit and ventilated and of sufficient dimension to avoid contamination with vapor.

Chemical Composition

S.No	Ingredient	Description	Weight
1	Transfluthrin a. i.		0.75% % w/w
2	Maxo perfume: Mixture of several aroma compounds like Benzyl acetal, Citronellol, Dimethyl Octadiene etc.		2.000% % w/w
3	Potassium nitrate		0.500% % w/w
4	Butyl diglycol		20.000% % w/w
5	Raw Incense Stick: Mixture of coconut shell powder, charcoal, guar gum, JOSS powder, saw dust powder coated on raw bamboo stick		Q.S. % w/w
Total			100 % w/w

Manufactured By / Imported By / Repacked By

M/s RADHE SHYAM AGARBATTI

Second floor, Building no/flat no-208, Vihav Trade Centre, Bhayli, near Waves Club, Vadodara, Gujarat-391410

Manufacturer Premises Address

Godown No-1,2,3,5,6, Gayatri Estate, Koyali Ankodia Road, Vadodara, Gujarat-391310

पत्रक विवरण

CIR-370661/2026-Transfluthrin (474)-5

ट्रांसफ्लुथ्रिन ०.७५% मच्छर अगरबत्ती

(घरेलू कीटनाशक)

उपयोग

फ़सल	कीट के नाम	प्रति हैक्टेयर मात्रा		पानी की मात्रा	अन्तिम छिड़काव तथा फसल काटने के बीच अन्तराल	पुनः प्रवेश की अवधि प्रत्येक छिड़काव के बाद (घंटे)
		स. तत्व	संरचना			
-	-	-	-	-	-	-

उपयोग के लिए दिशा-निर्देश

अगरबत्ती की लेपित नोक को जलाएं और आंच बंद कर दें और धुएं के उचित प्रसार के लिए सुलगती अगरबत्ती को कमरे में स्टैंड पर रख दें। उचित वेंटिलेशन के लिए खिड़कियां और दरवाजे खुले रखें।

प्रयोग का समय

प्रयोगकर्ताओं के लिए सावधानियां

अगरबत्ती की लेपित नोक को जलाएं और आंच बंद कर दें और धुएं के उचित प्रसार के लिए सुलगती अगरबत्ती को कमरे में स्टैंड पर रख दें। उचित वेंटिलेशन के लिए खिड़किया और दरवाजे खुले रखें।

विष के लक्षण

घबराहट, चिंता, कंपकंपी, ऐंठन, छींक आना, त्वचा की एलर्जी, नाक बहना और जलन हो सकती है।

प्राथमिक चिकित्सा

१. निगल जाने पर यदि निगल लिया जाए, तो तुरंत चिकित्सीय सलाह लें। २. सांस में जाने से यदि साँस द्वारा अंदर जाए तो रोगी को ताजी हवा के लिए बाहर ले जाएँ। ३. त्वचा के संपर्क से त्वचा संदूषण के मामले में त्वचा को खूब साबुन और पानी से धोएं। ४. आँखों के संपर्क की स्थिति में- अगर आँखें प्रभावित हों, तो खूब पानी धोएं।

पौधविशाक्तता

-

विष नाशक

कोई विशिष्ट मारक ज्ञात नहीं है, लक्षणानुसार उपचार करें। एलर्जी को नियंत्रित करने के लिए एंटीहिस्टामाइन दी जा सकती है।

खाली डिब्बों का निपटारा

1) यह कीटनाशक निर्माता तथा उपयोगकर्ता का कर्तव्य है की वह डिब्बों / पैकेजेस या बची हुई कीटनाशक तथा साधनों के धोवन का निपटारा सुरक्षित ढंग से करे जिससे वातावरण या पानी प्रदूषित न हो। 2) उपयोग किये गए डिब्बों / पैकेजेस को बाहर न फेंके जिससे उनका दुबारा प्रयोग न हो। 3) उपयोग किए गए डिब्बों / पैकेजेस को तोड़कर आबादी से दूर जमीन में गाड़ दें।

संग्रहण की शर्तें

१) कीटनाशक का भंडारण अलग कमरों में या ऐसी जगह में किया जाए जहाँ पर अन्य वस्तुएँ विशेषतः खाद्यपदार्थ का भंडारण ना हो। या कीटनाशक डिब्बे, उनकी मात्रा और प्रमाण के अनुसार तालाबन्द अलमारी में रखे। २) कीटनाशक के भंडारण की जगह अच्छी तरह बनी हो। शुष्क, शितल, प्रकाशयुक्त और हवादार हो तथा पर्याप्त लम्बी और चौड़ी होनी चाहिए ताकि कीटनाशक की वाप से प्रदूषित न हो।

रासायनिक संरचना

क्रमांक	घटक	विवरण	वजन
1	ट्रांसफ्लुथ्रिन स. त.		०.७५% % भा/भा
2	मैक्सो परफ्यूम: कई सुगंध यौगिकों जैसे बेंजाइल एसिटल, सिट्रोनेलोल, डाइमिथाइल ऑक्टाडाइन आदि का मिश्रण		२.०००% % भा/भा
3	पोटेशियम नाइट्रेट		०.५००% % भा/भा
4	ब्यूटाइल डायग्लाइकोल		२०.०००% % भा/भा
5	कच्ची अगरबत्ती: कच्चे बांस की छड़ी पर लेपित नारियल के खोल का पाउडर, चारकोल, ग्वार गम, जॉस पाउडर, चूरा पाउडर का मिश्रण		पर्याप्त मात्रा % भा/भा
कुल			100 % w/w

निर्माता

अंग्रेजी में लिखे अनुसार

उत्पादन परिसर

अंग्रेजी में लिखे अनुसार

Digitally signed by Subhash Chand
Date: 2026.08.25 16:49:28
Location: CIB&RC, NH4, CGO
Complex, Faridabad.
Designation: Secretary (CIB&RC)